			E
» ´	Application No.	Applicant(s)	
A1 (* 6 A II 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	10/654,986	UEDA ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Omar Flores-Sánchez	3724	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>4/12/06</u> .			
2. ☑ The allowed claim(s) is/are <u>13-22</u> .			
 3.			
2. Certified copies of the priority documents have been received in Application No			
Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) ☐ hereto or 2) ☐ to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
	r		
Attachment(s)			
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO	-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Dat 18), 7. ☐ Examiner's Amendr	e nent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allow	/ance
of Biological Material	9.		

REASONS FOR ALLOWANCE

- 1. The following is an examiner's statement of reasons for allowance: The claims is allowable because the prior art fails to teach a plurality of punch trains with each of which includes a plurality of punches; a plurality of initial position detecting sensors, which are disposed in correspondence with the plurality of punch trains respectively for detecting an initial position of each of the plurality of punch trains; and wherein one of the plurality of punch trains selected for use, is set at the initial position based on a signal from the plurality of initial position detecting sensors as set forth in claims 13 and 18.
- 2. Perrone teaches a sheet punching device, die holes 44, a plurality of punch trains (Fig. 1 and 2), a plurality of punches 42, a first rotatable shaft 16 and a second rotatable shaft 18. However, Perrone fails to teach a plurality of initial position detecting sensors, which are disposed in correspondence with the plurality of punch trains respectively for detecting an initial position of each of the plurality of punch trains; and wherein one of the plurality of punch trains selected for use, is set at the initial position based on a signal from the plurality of initial position detecting sensors as set forth in claims 13 and 18.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Omar Flores-Sánchez whose telephone number is 571-272-4507. The examiner can normally be reached on 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer Ashley can be reached on 571-272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ofs 5/9/06

BOYER D. ASHLEY
SUPERVISORY PATENT EXAMINER